

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	("6862661" "6272590").pn.	USPAT	OR	OFF	2005/06/07 10:27
S3	9	("5151899" "6151696" "6011796" "5577211" "6185623" "5872777" "5993056" "6145109" "5648970").pn.	USPAT	OR	OFF	2005/06/15 15:56
S4	39	("4644468"   "4958278"   "5142680"   "5146568"   "5230052"   "5345558"   "5361256"   "5390170"   "5400325"   "5426637"   "5454078"   "5463735"   "5515072"   "5519707"   "5539745"   "5553083"   "5577210"   "5608726"   "5612959"   "5634011"   "5638377"   "5727002"   "5752003"   "5793758"   "5818838"   "5819042"   "5822523"   "5822582"   "5838907"   "5842011"   "5870554"   "5872968"   "5875306"   "5884074"   "5887164"   "5918016"   "5960175"   "5974547"   "6009474").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/07 10:42
S5	3	("6185623").URPN.	USPAT	OR	OFF	2005/06/07 10:46
S6	6	("4439859"   "4617657"   "5151899"   "5291483"   "5337313"   "5784362").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/07 10:47
S7	14	("4439859"   "4564937"   "4611280"   "4617657"   "4631673"   "4646235"   "4679139"   "4680705"   "4799215"   "4803651"   "4918687"   "4964119"   "5007052"   "5056085").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/07 11:03
S8	107	(array space storage memory register) same ((sequenc\$4 transfer transmission)adj2 (value number identifier)) same (packets daagram block fragment UDP)same (incom\$4 receiv\$4 arriv\$4) same (missing missed lost) and (@ad<"20011107")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 11:10
S9	1269	370/394 and (@ad<"20011107")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 11:11

Abstract, Images

Abstract, image

S10	722	S9 and (array storage register WITH sequence adj2 number\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 11:12
S11	722	S10 and (array storage register adj2 size length field\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 11:14
S12	711	S10 and (array storage register WITH compress\$4 ANDED)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 06:38
S13	644	S12 and (group combin\$3 with sequence packet\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 11:17
S14	487	S13 and (large siz\$3 with packet\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/07 11:18
S15	114	S14 and (track\$3 with receiv\$4 arriv\$4 SAME (lost missing losted missed))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 06:37
S16	4	("6134237").URPN.	USPAT	OR	OFF	2005/06/07 12:51
S17	7	("6128283").URPN.	USPAT	OR	OFF	2005/06/07 13:00
S18	554853	(track\$3 record WITH array\$1 table\$1 set) with (packet\$1 WITH sequenc\$3 order number) and (@ad<"20011107")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/07 13:13
S19	4363269	(determin\$3 calculat\$3 obtain\$2 with array table set with size length)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/07 13:14
S20	456081	S18 and S19	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/07 13:15

*Abstract, image*

S21	3887645	(group combine with spaces entries entry input with array\$1 table\$1 set) and (@ad<"20011107")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/07 13:17
S22	1353365	(compress\$3 with spaces entries entry input with array\$1 table\$1) and (@ad<"20011107")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/07 13:18
S23	19659	(packet\$1 WITH lost\$2 miss\$2 re-transmit\$4 retransmit\$4) and (S18 and S19 and S22)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/07 13:20
S24	217	S23 and (370/394 ) <i>Abstract + images</i>	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/07 13:37
S25	38510	(tracking track adj3 array\$1 table\$1) and (packet\$1) and (sequence order\$3) and (@ad<"20011107")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/17 06:34
S26	575	S25 and (370/394)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/07 14:33
S27	13	S26 and (hole\$1) <i>Abstract + images</i>	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/07 14:40
S28	5168	(track\$3 with miss\$4 lost\$2 adj2 packet\$1) and (@ad<"20011107")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/07 14:41
S29	2864	S28 and (array\$1 list\$1 table\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/07 14:41
S30	781	S29 and (compress\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/07 14:42
S31	77	(TFTP adj server\$1 "trivial file transfer protocol" adj server\$1) and (track\$3 adj2 array table\$1 database\$1) and (@ad<"20010711")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF <i>Abstract + images</i>	2005/06/15 09:20

# Abstract + images

S32	3	(array WITH (maximum large\$3 limit\$1 adj2 space)) and ((track\$3 adj3 packet\$1) and (packet\$1 adj2 (sequence\$1 adj2 number\$1 id)) and (@ad<"20010711"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:36
S33	1	(array WITH (maximum large\$3 limit\$1 adj2 space)) and ((track\$3 adj3 packet\$1) and (compress compression adj2 (array NEAR space\$1)) and (@ad<"20010711"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:40
S34	208366	(compress compression adj2 (array NEAR space\$1)) and (@ad<"20010711")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:40
S35	1619962	(determine calculate with (maximum limit size adj2 array))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:41
S36	26746	S34 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:41
S37	1	S31 and S36 Abstract + images	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:44
S38	2847589	(compress compression adj2 array space\$1) and (@ad<"20011107")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:45
S39	23	S31 and S38 Abstract + images	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 10:34

S40	1809	(miss\$4 lost) adj1 packet\$1 and (@ad<"20011107")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 15:58
S42	70994	(sequence max\$5 packet) adj1 number and (@ad<"20011107")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 15:59
S43	1840208	S40 near\$30 S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 16:01
S44	1512	(miss\$4 lost) adj1 packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 06:55
S45	99290	(sequence max\$5 packet) adj1 number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 06:56
S46	799	S44 and S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 06:56
S47	113	S46 and (709/202 709/224 709/230 370/394) and (@ad<"20011107") <i>Abstract + image</i>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 06:40
S48	49	S46 and (709/203 709/217 709/218 709/219 ) and (@ad<"20011107")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 07:52
S49	1980	(checksum max\$5 capacity) near array	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 07:53
S50	260	(compress adj2 packet) <i>Abstract + image</i>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 07:53

S51	320	(compress adj2 packet\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 07:53
S52	2267922	(group combine adj2 packet\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 07:53
S53	0	S52 and S49 and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 07:54
S54	99	S52 and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 07:54
S55	62	S54 and (@ad<"20011107")  <i>Abstract + images</i>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 07:59
S56	4	("6862661" "6272590").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 08:00
S58	3194	(709/249 709/250) and (@ad<"20011107")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:39
S59	4734913	(array near track\$3 space\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:36
S60	2936053	(array NEAR4 space\$1 capacity max maximum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:37

S61	6241090	(packet adj2 sequence id number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:37
S62	2929828	(packet adj2 lost\$2 miss\$3 hole\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:38
S63	567	(track\$3 adj1 array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:38
S64	324	S60 and S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:39
S65	1215038	S60 and S59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:41
S66	324	S65 and S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:41
S67	0	S58 and S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:42
S68	18696	S58 adn (track\$3 adj3 packet\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:42

S69	43	S58 and (track\$3 adj3 packet\$1) <i>Abstract + images</i>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:46
S70	847	S58 and (array near5 hole\$1 miss\$3 lost\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:47
S71	22	S70 and (array adj3 (compression compress adj3 space capacity entry entries)) <i>Abstract + images</i>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 17:05
S72	480462	(370/351 "353" "354" "355" "356") and (@ad<"20011107")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 17:07
S73	167292	S72 and S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 17:07
S74	51170	S73 and S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 17:08
S75	40495	S61 and S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 17:08
S76	1	S71 and S75	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 17:10

*Abstract + image*



S77	1493	370/463 and (@ad<"20011107")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 17:11
S78	1363	S61 and S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 17:11
S79	53	S78 and S70 <i>Abstract images</i>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 17:11
S80	34623	(tracking track adj3 vector bitmap) and (packet\$1 frame\$1) and (sequence order\$3) and (@ad<"20011107")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/17 06:35
S81	8119	S80 and (track\$3 with receiv\$4 arriv\$4 SAME (lost missing losted missed))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 06:37
S82	5638	S81 and (array storage register WITH compress\$4 ANDED)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 06:39
S83	1512	(miss\$4 lost) adj1 packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 06:40
S84	99290	(sequence max\$5 packet) adj1 number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 06:40
S85	799	S83 and S84	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 06:40

S86	113	S85 and (709/202 709/224 709/230 370/394) and (@ad<"20011107")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 06:40
S87	10	S86 and S82	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 06:40

Abstract + images